

THAI REPORT ON CHILD DROWNING

Bureau of Non-Communicable Diseases, Department of Disease Control, Ministry of Public Health, Thailand

KEY FACTS

Drowning

is the first leading causes of death for children aged under 15 years

1000 children

die from drowning every year

Children

1-4 years have the

highest rate

Males are

twice

as likely to drown as females

Disability-


Adjusted Life Year (DALY)

(0-14 years)


Male: 57,000

Female: 25,000

DROWNING RATES (Children under 15 years)



Number and Mortality Rate (per 100 000 children < 15 years) from Child Drowning in Thailand, 2000-2016



Source: Death Certificates, Strategy and Planning Division, Ministry of Public Health, Thailand.

Analyzed by: Bureau of Non-Communicable Diseases, Department of Disease Control, Ministry of Public Health, Thailand.

Number and Mortality Rate (per 100 000 children <15 years) from Child Drowning in Thailand by age group, 2003-2016




Source: Death Certificates, Strategy and Planning Division, Ministry of Public Health, Thailand.

Analyzed by: Bureau of Non-Communicable Diseases, Department of Disease Control, Ministry of Public Health, Thailand.


A LEADING KILLER OF CHILDREN

Numbers of deaths for children under 15 years



RISK FACTORS


Percentage of drowning death in children <15 years in Thailand by day of the week, 2012-2016



Source: Death Certificates, Strategy and Planning Division, Ministry of Public Health, Thailand.

Analyzed by: Bureau of Non-Communicable Diseases, Department of Disease Control, Ministry of Public Health, Thailand.


Percentage of drowning death in children <15 years in Thailand by month, 2012-2016



Source: Death Certificates, Strategy and Planning Division, Ministry of Public Health, Thailand.


Analyzed by: Bureau of Non-Communicable Diseases, Department of Disease Control, Ministry of Public Health, Thailand.

Percentage of severe drowning injuries* in children <15 years by time period of the day, 2016



Bureau of Epidemiology, Department of Disease Control, Ministry of Public Health.

Percentage of severe drowning injuries* in children <15 years by age group and type of water source, 2016



Source: Sentinel sites. National Injury Surveillance System,

Bureau of Epidemiology, Department of Disease Control, Ministry of Public Health.

"Severe injuries refer to injured individuals who die before arriving at hospital, injury patients who die in an emergency room, and injury patients who are admitted for observation and treatment at hospital.



PREVENTIVE ACTIONS


MERIT MAKER – Thai National Drowning Prevention Strategy

MERIT MAKER

THAI NATIONAL DROWNING PREVENTION STRATEGY



Distribution of MERIT MAKER team in Thailand



MERIT MAKER AND WHO RECOMMENDATIONS

6 Key Drowning Prevention Intervention

Provide safe places for Install barriers controlling Teach school-age children **WHO** pre-school children access to water (aged over 6 years) swimming and water skills Kindergarten/Day care **MERIT MAKER** Environment **Training** Education (Survival Swimming) Build resilience and Train bystanders in safe Set and enforce safe **WHO** manage flood risks rescue and resuscitation boating, shipping and ferry regulations **MERIT MAKER Drowning Prevention Plan** Resuscitation **Drowning Prevention Plan**

Strategies to Support Drowning Prevention Interventions

Promote multisectoral Develop a national Strengthen public Advance drowning awareness of drowning collaboration water safety plan prevention through data **WHO** collection and through strategic well-designed studies communications **MERIT** Education Management Advocacy/Policy Information **MAKER** Media Research/Evaluation

DROWNING IS PREVENTABLE

